

REFERENCES USED IN MOVEMENT: FUNCTIONAL MOVEMENT SYSTEMS

- 1 Brushoj C, Larsen K, Albrecht-Beste E, Nielsen MB, Loye F, Holmich P. Prevention of overuse injuries by a concurrent exercise program in subjects exposed to an increase in training load: a randomized controlled trial of 1020 army recruits. *Am J Sports Med.* Apr 2008;36(4):663-670.
- 2 Shrier I. Stretching before exercise does not reduce the risk of local muscle injury: a critical review of the clinical and basic science literature. *Clin J Sport Med.* Oct 1999;9(4):221-227.
- 3 Kiesel K, Plisky P, Kersey P. Functional Movement Test Score as a Predictor of Time-loss during a Professional Football Team's Pre-season Paper presented at: American College of Sports Medicine Annual Conference 2008; Indianapolis, IN.
- 4 Kiesel K, Plisky PJ, Voight M. Can serious injury in professional football be predicted by a preseason Functional Movement Screen? *North Am J Sports Phys Ther.* August 2007;2(3):147-158.
- 5 Peate WF, Bates G, Lunda K, Francis S, Bellamy K. Core strength: a new model for injury prediction and prevention. *J Occup Med Toxicol.* 2007;2:3.
- 6 Meghan F, McFadden D, Deuster P, et al. Functional Movement Screening: A Novel Tool for Injury Risk Stratification of Warfighters. American College of Sports Medicine Annual Conference. Baltimore Maryland 2010.
- 7 Kiesel K, Plisky P, Butler R. Functional movement test scores improve following a standardized off-season intervention program in professional football players. *Scand J Med Sci Sports.* Dec 18 2009.
- 8 Wainner RS, Whitman JM, Cleland JA, Flynn TW. Regional interdependence: a musculoskeletal examination model whose time has come. *J Orthop Sports Phys Ther.* Nov 2007;37(11):658-660.
- 9 Cook, G., Burton, L., Fields, K., Kiesel, K., & Van Allen, J. (1999). Functional Movement Screening: Upper and Lower Quarter Applications. Paper presented at the Mid-America Athletic Trainer's Annual Symposium, Sioux Falls, South Dakota.
- 10 Cook, G., Burton, L. & Van Allen, J., (1999). Functional Movement Screening. Presented at the National Athletic Trainer's Association Annual Symposium, Kansas City, Kansas.
- 11 Kiesel K, Plisky PJ, Voight M. Can serious injury in professional football be predicted by a preseason Functional Movement Screen? *North Am J Sports Phys Ther.* August 2007;2(3):147-158.
- 12 Plisky PJ, Rauh MJ, Kaminski TW, Underwood FB. Star Excursion Balance Test as a predictor of lower extremity injury in high school basketball players. *J. Orthop Sports Phys Ther* Dec 2006;36(12):911-919.
- 13 Nadler SF, Moley P, Malanga GA, Rubbani M, Prybicien M, Feinberg JH. Functional deficits in athletes with a history of low back pain: a pilot study. *Arch Phys Med Rehabil.* Dec 2002;83(12):1753-1758.
- 14 Nadler SF, Malanga GA, Feinberg JH, Rubanni M, Moley P, Foye P. Functional performance deficits in athletes with previous lower extremity injury. *Clin J Sport Med.* Mar 2002;12(2):73-78.
- 15 Nadler SF, Malanga GA, Bartoli LA, Feinberg JH, Prybicien M, Deprince M. Hip muscle imbalance and low back pain in athletes: influence of core strengthening. *Med Sci Sports Exerc.* Jan 2002;34(1):9-16.
- 16 Cichanowski HR, Schmitt JS, Johnson RJ, Niemuth PE. Hip strength in collegiate female athletes with patellofemoral pain. *Med Sci Sports Exerc.* Aug 2007;39(8):1227-1232.
- 17 Lehance C, Binet J, Bury T, Croisier JL. Muscular strength, functional performances and injury risk in professional and junior elite soccer players. *Scand J Med Sci Sports.* Mar 31 2008.
- 18 Lombard, W.P. & Abbott, F.M. (1907). The mechanical effects produced by the contraction of individual muscles of the thigh of the frog. *Am J Physiol.* 20, 1-60
- 19 Dekker JM, Crow RS, Folsom AR, et al. Low heart rate variability in a 2-minute rhythm strip predicts risk of coronary heart disease and mortality from several causes: the ARIC Study. *Atherosclerosis Risk In Communities. Circulation.* Sep 12 2000;102(11):1239-1244.
- 20 van Dieen JH, Selen LP, Cholewicki J. Trunk muscle activation in low-back pain patients, an analysis of the literature. *J Electromyogr Kinesiol.* Aug 2003;13(4):333-351.
- 21 Flor H. Cortical reorganisation and chronic pain: implications for rehabilitation. *J Rehabil Med.* May 2003(41 Suppl):66-72.
- 22 Richardson C, Hodges P, Hides J. *Therapeutic Exercise for Lumbopelvic Stabilization: A Motor Control Approach for the Treatment and Prevention of Low Back Pain 2nd ed:* Churchill Livingstone; 2004.
- 23 Fleming DW, Binder S, eds. National Center for Injury Prevention and Control. CDC Injury Research Agenda. Atlanta (GA): Centers for Disease Control and Prevention; 2002.
- 24 Peate WF, Bates G, Lunda K, Francis S, Bellamy K. Core strength: a new model for injury prediction and prevention. *J Occup Med Toxicol.* 2007;2:3.
- 25 Emery CA. Injury prevention and future research. *Med Sport Sci.* 2005;48:179-200.
- 26 Cholewicki J, Silfies SP, Shah RA, et al. Delayed trunk muscle reflex responses increase the risk of low back injuries. *Spine.* Dec 1 2005;30(23):2614-2620.
- 27 Faude O, Junge A, Kindermann W, Dvorak J. Risk factors for injuries in elite female soccer players. *Br J Sports Med.* Sep 2006;40(9):785-790.
- 28 McHugh MP, Tyler TF, Tetro DT, Mullaney MJ, Nicholas SJ. Risk factors for noncontact ankle sprains in high school athletes: the role of hip strength and balance ability. *Am J Sports Med.* Mar 2006;34(3):464-470.

- 29 McKay GD, Goldie PA, Payne WR, Oakes BW. Ankle injuries in basketball: injury rate and risk factors. *Br J Sports Med.* Apr 2001;35(2):103-108.
- 30 Turbeville SD, Cowan LD, Owen WL, Asal NR, Anderson MA. Risk factors for injury in high school football players. *Am J Sports Med.* Nov-Dec 2003;31(6):974-980.
- 31 Tyler TF, McHugh MP, Mirabella MR, Mullaney MJ, Nicholas SJ. Risk factors for noncontact ankle sprains in high school football players: the role of previous ankle sprains and body mass index. *Am J Sports Med.* Mar 2006;34(3):471-475.
- 32 Zazulak BT, Hewett TE, Reeves NP, Goldberg B, Cholewicki J. Deficits in neuromuscular control of the trunk predict knee injury risk: a prospective biomechanical-epidemiologic study. *Am J Sports Med.* Jul 2007;35(7):1123-1130.
- 33 Cholewicki J, Panjabi MM, Khachatryan A. Stabilizing function of trunk flexor-extensor muscles around a neutral spine posture. *Spine (Phila Pa 1976).* Oct 1 1997;22(19):2207-2212.
- 34 Nadler SF, Moley P, Malanga GA, Rubbani M, Prybcien M, Feinberg JH. Functional deficits in athletes with a history of low back pain: a pilot study. *Arch Phys Med Rehabil.* Dec 2002;83(12):1753-1758.
- 35 Bullock-Saxton JE, Janda V, Bullock MI. The influence of ankle sprain injury on muscle activation during hip extension. *Int J Sports Med.* Aug 1994;15(6):330-334.
- 36 Choudhry NK, Fletcher RH, Soumerai SB. Systematic review: the relationship between clinical experience and quality of healthcare. *Ann Intern Med.* Feb 15 2005;142(4):260-273.
- 37 Hickey J, Barrett B, Butler R, Kiesel K, Plisky P. Reliability of the Functional Movement Screen Using a 100-point Grading Scale. Paper presented at: American College of Sports Medicine Annual Meeting 2010; Baltimore, MD.
- 38 Minick KI, Kiesel KB, Burton L, Taylor A, Plisky P, Butler RJ. Interrater reliability of the functional movement screen. *J Strength Cond Res.* Feb 2010;24(2):479-486.
- 39 Cook G, Burton L, Fields K, Kiesel K, Van Allen J. Functional Movement Screening: Upper and Lower Quarter Applications. Paper presented at: Mid-America Athletic Trainer's Annual Symposium 1999; Sioux Falls, South Dakota.
- 40 Deyo RA, Mirza SK, Martin BI. Back pain prevalence and visit rates: estimates from U.S. national surveys, 2002. *Spine (Phila Pa 1976).* Nov 1 2006;31(23):2724-2727.
- 41 Zedka M, Prochazka A, Knight B, Gillard D, Gauthier M. Voluntary and reflex control of human back muscles during induced pain. *J Physiol.* Oct 15 1999;520 Pt 2:591-604.
- 42 Lund JP, Donga R, Widmer CG, Stohler CS. The pain-adaptation model: a discussion of the relationship between chronic musculoskeletal pain and motor activity. *Can J Physiol Pharmacol.* May 1991;69(5):683-694.
- 43 Richardson C, Hodges P, Hides J. *Therapeutic Exercise for Lumbopelvic Stabilization: A Motor Control Approach for the Treatment and Prevention of Low Back Pain 2nd ed:* Churchill Livingstone; 2004.
- 44 Kiesel K BR, Duckworth A, Underwood, F. Experimentally induced pain alters the EMG activity of the lumbar multifidus in asymptomatic subjects. 6th Interdisciplinary World Congress on Low Back & Pelvic Pain. (Platform Presentation) Barcelona Spain; 2007.
- 45 van Dieen JH, Selen LP, Cholewicki J. Trunk muscle activation in low-back pain patients, an analysis of the literature. *J Electromyogr Kinesiol.* Aug 2003;13(4):333-351.
- 46 Clark M, Russell A. Optimum Performance Training for the Performance Enhancement Specialist. Calabasas, CA: *National Academy of Sports Medicine.* 2001.
- 47 Cholewicki J, Greene HS, Polzhofer GK, Galloway MT, Shah RA, Radebold A. Neuromuscular function in athletes following recovery from a recent acute low back injury. *J Orthop Sports Phys Ther.* Nov 2002;32(11):568-575.
- 48 Pirouzi S, Hides J, Richardson C, Darnell R, Toppenberg R. Low back pain patients demonstrate increased hip extensor muscle activity during standardized submaximal rotation efforts. *Spine.* Dec 15 2006;31(26):E999-E1005.
- 49 van Dieen JH, Selen LP, Cholewicki J. Trunk muscle activation in low-back pain patients, an analysis of the literature. *J Electromyogr Kinesiol.* Aug 2003;13(4):333-351.
- 50 Kiesel K, Plisky P, Butler R. Functional movement test scores improve following a standardized off-season intervention program in professional football players. *Scand J Med Sci Sports.* Dec 18 2009.
- 51 Hodges P, Richardson C, Jull G. Evaluation of the relationship between laboratory and clinical tests of transversus abdominis function. *Physiother Res Int.* 1996;1(1):30-40.
- 52 Hodges PW, Moseley GL, Gabrielsson A, Gandevia SC. Experimental muscle pain changes feedforward postural responses of the trunk muscles. *Exp Brain Res.* Jul 2003;151(2):262-271.
- 53 Hodges PW, Richardson CA. Delayed postural contraction of transversus abdominis in low back pain associated with movement of the lower limb. *J Spinal Disord.* Feb 1998;11(1):46-56.
- 54 Hodges PW, Richardson CA. Altered trunk muscle recruitment in people with low back pain with upper limb movement at different speeds. *Arch Phys Med Rehabil.* Sep 1999;80(9):1005-1012.
- 55 Cowan SM, Schache AG, Brukner P, et al. Delayed onset of transversus abdominis in long-standing groin pain. *Med Sci Sports Exerc.* Dec 2004;36(12):2040-2045.
- 56 Yamamoto K, Kawano H, Gando Y, et al. Poor trunk flexibility is associated with arterial stiffening. *Am J Physiol Heart Circ Physiol.* Oct 2009;297(4):H1314-1318.
- 57 Richter RR, VanSant AF, Newton RA. Description of adult rolling movements and hypothesis of developmental sequences. *Phys Ther.* Jan 1989;69(1):63-71.
- 58 Meghan F, McFadden D, Deuster P, et al. Functional Movement Screening: A Novel Tool for Injury Risk Stratification of Warfighters. American College of Sports Medicine Annual Conference. Baltimore Maryland 2010.
- 59 Peate WF, Bates G, Lunda K, Francis S, Bellamy K. Core strength: a new model for injury prediction and prevention. *J Occup Med Toxicol.* 2007;2:3.

Y BALANCE REFERENCES

- 1 Falsone SA, Gross MT, Guskiewicz KM, Schneider RA. One-arm hop test: reliability and effects of arm dominance. *J Orthop Sports Phys Ther.* Mar 2002;32(3):98-103.
- 2 Roush JR, Kitamura J, Waits MC. Reference values for the closed kinetic chain upper extremity stability test (CKCUEST) for collegiate baseball players. *NAJSPT.* August 2007;2(3):159-163.
- 3 Kinzey S, Armstrong C. The reliability of the star-excursion test in assessing dynamic balance. *J Orthop Sports Phys Ther.* 1998;27(5):356-360.
- 4 Gray G. Lower Extremity Functional Profile. Adrian, MI: Wynn Marketing, Inc; 1995.
- 5 English T, Howe K. The effect of Pilates exercise on trunk and postural stability and throwing velocity in college baseball pitchers: single subject design. *NAJSPT.* 2007;2(1):8-19.
- 6 Lanning CL, Uhl TL, Ingram CL, Mattacola CG, English T, Newsom S. Baseline values of trunk endurance and hip strength in collegiate athletes. *J Athl Train.* Oct-Dec 2006;41(4):427-434.
- 7 Plisky PJ, Rauh MJ, Kaminski TW, Underwood FB. Star Excursion Balance Test as a predictor of lower extremity injury in high school basketball players. *J Orthop Sports Phys Ther.* Dec 2006;36(12):911-919.
- 8 Hale SA, Hertel J, Olmsted-Kramer LC. The effect of a 4-week comprehensive rehabilitation program on postural control and lower extremity function in individuals with chronic ankle instability. *J Orthop Sports Phys Ther.* Jun 2007;37(6):303-311.
- 9 Plisky PJ, Gorman P, Kiesel K, Butler R, Underwood F, Elkins B. The reliability of an instrumented device for measuring components of the Star Excursion Balance Test. *NAJSPT.* 2009;4(2):92-99.
- 10 Herrington L, Hatcher J, Hatcher A, McNicholas M. A comparison of Star Excursion Balance Test reach distances between ACL deficient patients and asymptomatic controls. *Knee* 2009;16(2):149-52.
- 11 Hertel J, Braham R, Hale S, Olmsted-Kramer L. Simplifying the star excursion balance test: analyses of subjects with and without chronic ankle instability. *Journal of Orthopaedic and Sports Physical Therapy* 2006;36(3):131-7.
- 12 Gribble P, Hertel J, Denegar C, Buckley W. The effects of fatigue and chronic ankle instability on dynamic postural control. *Journal of Athletic Training* 2004;39(4):321-9.
- 13 Hubbard TJ, Kramer LC, Denegar CR, Hertel J. Contributing factors to chronic ankle instability. *Foot Ankle Int. Mar* 2007;28(3):343-354.
- 14 Olmsted L, Carcia C, Hertel J, Shultz S. Efficacy of the Star Excursion Balance Tests in detecting reach deficits in subjects with chronic ankle instability. *J Athl Train.* 2002;37(4):501-506.
- 15 Hertel J, Miller S, Denegar C. Intratester and intertester reliability during the Star Excursion Balance Tests. *J Sport Rehabil.* 2000;9:104-116.
- 16 Robinson RH, Gribble PA. Support for a reduction in the number of trials needed for the star excursion balance test. *Arch Phys Med Rehabil.* Feb 2008;89(2):364-370.